

Authors Index

- Aagaard (O.M.), Janssen (R.A.J.) and Buck (H.M.), An ESR study on electron-capture phosphorus-centred radicals in solid matrices of alkyl/phenyl phosphine sulfides and selenides, 262
- Aalten (H.L.), Koten (G. van), Tromp (J.), Stam (C.H.), Goubitz (K.), Mak (A.N.S.) and Kerk-van Hoof (A. van der), Dinuclear copper(I) benzoate quinoline complexes as intermediates in the copper-quinoline decarboxylation reaction, 295
- Aarts (M.W.M.M.), see: Winkel (C.)
- Alberts (A.H.), A convenient one-pot synthesis of bis(trimethylsilyl)hexatriyne: a precursor of an organic superconductor?, 242
- Al-Talib (M.), see: Tashtoush (H.)
- Amsterdam (L.J.P. van), see: Steen (R. van der)
- Ansink (H.R.W.) and Cerfontain (H.), Sulfonation of 1,2-(methylenedioxy)benzene, 1,2-(ethylenedioxy)benzene, 2-methylanisole, 2,3-dihydrobenzofuran, chromane, benzo-15-crown-5 and diobenzo-30-crown-10 in concentrated sulfuric acid and with sulfur trioxide, 395
- , see also: Cerfontain (H.)
- Ariese (F.), see: Jonker (S.A.)
- Arumugam (N.), see: Selvaraj (S.)
- Banerjee (A.K.), Carrasco (M.C.) and Peña-Matheud (C.A.), Observations on the dehydrogenation of α,β -unsaturated carbonyl compounds with thallium(III) acetate, 94
- , and Pita-Boente (M.I.), Synthetic approaches to glutinose, 408
- Batelaan (J.G.), see: Haveren (J. van)
- Bax (J.M.C.), see: Made (A.W. van der)
- Bekkum (H. van) and Kouwenhoven (H.W.), The use of zeolites in organic reactions, 283
- , see also: Dam (H.E. van)
- , see also: Duin (M. van)
- , see also: Floor (M.)
- , see also: Haveren (J. van)
- Berg (E.M.M. van den), Liemt (W.B.S. van), Heemskerk (B.) and Lugtenburg (J.), Synthesis of indoles and L-tryptophans specifically ^2H - or ^{13}C -labelled in the six-membered ring, 304
- , see also: Jenneskens (L.W.)
- Bergwerff (A.A.), see: Damm (J.B.L.)
- Beurskens (P.T.), see: Lenstra (A.T.H.)
- , see also: Rewinkel (J.B.M.)
- Beuzekom (A.A. van), see: Jenneskens (L.W.)
- Bhatnagar (A.), see: Khanna (R.K.)
- Bierhuizen (M.F.A.), Wit (M. de), Govers (C.A.R.L.) and Dijk (W. van), Partial characterization of the N-linked oligosaccharides occurring on rat hepatocyte glycoproteins, 323
- Biesheuvel (P.L.), see: Steen (R. van der)
- Boeckel (C.A.A. van), see: Kraaijeveld (N.A.)
- , see also: Spijker (N.M.)
- Boersma (J.), see: Graaf (W. de)
- Bonas (G.) and Vignon (M.), Proton NMR study of alkali cation-cyclogentiotetraose peracetate complexation, 161
- , Excoffier (G.), Paillet (M.) and Vignon (M.), Synthesis of cyclogentiotriose and cyclogentiotetraose peracetates, 259
- Boom (J.H. van), see: Boons (G.J.P.H.)
- , see also: Elie (C.J.J.)
- , see also: Kuyl-Yeheskiely (E.)
- , see also: Veeneman (G.H.)
- Boons (G.J.P.H.), Marel (G.A. van der), Poolman (J.T.) and Boom (J.H. van), Synthesis of L-glycero- α -D-manno-heptopyranose-containing disaccharide derivatives of the *Neisseria meningitidis* dephosphorylated inner-core region, 339
- Booth (R.J.), see: Linders (J.T.M.)
- Bos (J.C. van den), see: Vloon (W.J.)
- Briel (P.), see: Linders (J.T.M.)
- Brinkman (G.A.), see: Kuipers (P.)
- Broekhof (N.L.J.M.), see: Zorgdrager (J.)
- Bruins Slot (H.J.), see: Lenstra (A.T.H.)
- Buck (H.M.), see: Aagaard (O.M.)
- , see also: Genderen (M.H.P. van)
- , see also: Quaedflieg (P.J.L.M.)
- Buitenhuis (E.G.), see: Winkel (C.)
- Buy (H.C.W.M.), Vercauteren (F.F.), Elven (A. van) and Tinnemans (A.H.A.), Acid hydrolysis of polymers and copolymers of N-vinyl-N-methylacetamide, 123
- Carrasco (M.C.), see: Banerjee (A.K.)
- Cerfontain (H.), Coenjaarts (N.J.) and Koeberg-Telder (A.), Reactions of the dihydroxybenzenes and their methyl ethers with sulfur trioxide. The effect of initial sulfation on the sulfonation product distribution, 7
- , Ansink (H.R.W.), Coenjaarts (N.J.), Graaf (E.J. de) and Koeberg-Telder (A.), Reactions of a series of methyl ethers of the trihydroxybenzenes and three dimethoxyphenyl methanesulfonates with sulfur trioxide. The effect of initial sulfation on the sulfonation product distribution, 445
- , see also: Ansink (H.R.W.)
- Challa (G.), see: Viersen (F.J.)
- Chiang (M.Y.), see: Wielstra (Y.)
- Chittenden (G.J.F.), Acetalation studies. Part VII. Some new aspects of the isopropylidenation of galactitol, 14
- , see also: Regeling (H.)
- Coenjaarts (N.J.), see: Cerfontain (H.)
- Coolen (H.K.A.C.), see: Smeets (J.W.H.)
- Cornelisse (J.), see: Kellenbach (E.R.)
- , see also: Olde Boerrigter (J.S.)
- Courtin (J.M.L.), see: Gebhard (R.)
- Dam (H.E. van), Kieboom (A.P.G.) and Bekkum (H. van), Glucose 1-phosphate oxidation on platinum-on-carbon catalyst: side-reactions and effects of catalyst structure on selectivity, 404
- Damm (J.B.L.), Bergwerff (A.A.), Hard (K.), Kamerling (J.P.) and Vliegthart (J.F.G.), Sialic acid patterns in N-linked carbohydrate chains. Structural analysis of the N-acetyl-N-glycolyl-neuraminic-acid-containing N-linked carbohydrate chains of bovine fibrinogen, 351
- Dijk (W. van), see: Bierhuizen (M.F.A.)
- Dijkstra (G.D.H.), Kellogg (R.M.), and Wynberg (H.), Conformational analysis of some chiral catalysts of the cinchona and ephedra family. The alkaloid catalyzed addition of aromatic thiols to cyclic α,β -unsaturated ketones, 195
- Dreef-Tromp (C.M.), see: Kuyl-Yeheskiely (E.)
- Drenth (W.), see: Made (A.W. van der)
- Drew (M.G.B.), see: Isaacs (N.S.)
- Duin (M. van), Peters (J.A.), Kieboom (A.P.G.) and Bekkum (H. van), A general coordination-ionization scheme for polyhydroxy carboxylic acids in water, 57
- Edwards (P.G.) and Wills (A.R.), On the synthesis of bis[2-(dimethylarsino)ethyl]amine, 319
- Egberink (R.J.M.), see: Nijhuis (W.H.N.)
- Eijnden (D.H. van den), see: Koenderman (A.H.L.)
- El-Din (G.N.), see: Isaacs (N.S.)
- Elie (C.J.J.), Muntendam (H.J.), Elst (H. van den), Marel (G.A. van der), Hoogerhout (P.) and Boom (J.H. van), Synthesis of fragments of the capsular polysaccharide of *Haemophilus influenzae* type b. Part III. A solid-phase synthesis of a spacer-containing ribosylribitol phosphate hexamer, 219
- Elst (H. van den), see: Elie (C.J.J.)
- Elven (A. van), see: Buys (H.C.W.M.)
- Erkelens (C.), see: Steen (R. van der)
- Excoffier (G.), see: Bonas (G.)
- Floor (M.), Kieboom (A.P.G.) and Bekkum (H. van), Redox properties of cerium-exchanged Y-zeolites, 128
- , Hofsteede (L.P.M.), Groenland (W.P.T.), Verhaar (L.A.Th.), Kieboom (A.P.G.) and Bekkum (H. van), Preparation and calcium complexation of oxidized polysaccharides. II: Hydrogen peroxide as co-reactant in the chlorite oxidation of dialdehyde glucans, 384
- Fog (E.), see: Linders (J.T.M.)
- Fokt (I.), see: Szeja (W.)
- Foppen (M.-A.E.), Rantwijk (F. van), Maat (L.) and Kieboom (A.P.G.), The use of histidine decarboxylase for the isolation of D-histidine from the racemate, 424
- Gahlaut (A.S.), see: Mehrotra (K.N.)
- Gambarotta (S.), see: Wielstra (Y.)
- Carcia-Granda (S.), see: Rewinkel (J.B.M.)
- Gebhard (R.), Courtin (J.M.L.), Shadid (J.B.), Haveren (J. van), Haeringen (C.J. van) and Lugtenburg (J.), Synthesis of retinals with ^{13}C in the cyclohexene ring, 207
- Gen (A. van der), see: Olde Boerrigter (J.C.)
- , see also: Zorgdrager (J.)
- Genderen (M.H.P. van), Koole (L.H.) and Buck (H.M.), Hybridization of phosphate-methylated DNA and natural oligonucleotides. Implications for protein-induced DNA duplex destabilization, 28
- , and Buck (H.M.), The role of axial chirality in Schiff bases of pyridoxal phosphate and amino acids in the mechanism of racemase enzymes. A quantum-chemical study, 413
- , Lier (P.M. van) and Buck (H.M.), Chirality in pyridoxal, 418
- , see also: Quaedflieg (P.J.L.M.)
- Goubitz (K.), see: Aalten (H.L.)
- Govers (C.A.R.L.), see: Bierhuizen (M.F.A.)
- Graaf (E.J. de), see: Cerfontain (H.)
- Graaf (W. de), Wegen (J. van), Boersma (J.), Spek (A.L.) and Koten (G. van), Thermally stable arylpalladium diamine complexes as versatile precursors in organopalladium chemistry; Synthesis and X-ray molecular structure of PdIPh(tmeda) and its conversion to PdMePh(tmeda)[tmeda = $\text{Me}_2\text{N}(\text{CH}_2)_2\text{NMe}_2$], 275
- Grip (W.J. de), see: Steen (R. van der)
- Groenland (W.P.T.), see: Floor (M.)
- Groesbeek (M.), Steen (R. van der), Vliet (J.C. van), Vertegaal (L.B.J.) and Lugtenburg (J.), Synthesis of three retinal models, including the 10-s-cis-locked retinal, all-E-12,19-methanoretinol, 427
- , see also: Steen (R. van der)
- Groot (P.M.F.C.), see: Made (A.W. van der)
- Gryniewicz (G.), see: Szeja (W.)
- Haasnoot (J.G.), see: Lenstra (A.T.H.)
- Haeringen (C.J. van), see: Gebhard (R.)
- Halteren (B.W. van), see: Kuipers (P.)
- Hard (K.), see: Damm (J.B.L.)
- Harkema (S.), see: Nijhuis (W.H.N.)
- Haveren (J. van), Peters (J.A.), Batelaan (J.G.), Kieboom (A.P.G.) and Bekkum (H. van), pH dependence of the stability of boric acid and borate esters of amino acids and amino diols in aqueous medium as studied by ^{11}B and ^1H NMR spectroscopy, 179
- , see also: Gebhard (R.)
- Heemskerk (B.), see: Berg (E.M.M. van den)
- Heide (F.R. van der), see: Winkel (C.)
- Hoefnagel (M.A.) and Wepster (B.M.), Para-nitrosation of a primary and a secondary amine in aqueous solution: 2,6-di-tert-butyl-4-nitrosoaniline and N,2-di-tert-butyl-4-nitrosoaniline, 97
- Hofsteede (L.P.M.), see: Floor (M.)
- Hoogerhout (P.), see: Elie (C.J.J.)
- , see also: Veeneman (G.H.)
- Houwelingen (G.D.B. van), see: Jenneskens (L.W.)
- Isaacs (N.S.), El-Din (G.N.) and Drew (G.B.), The reaction between a phosphole and diphenylketene at high pressure; an unexpected outcome, 120

- Jain (S.), see: Khanna (R.K.)
- Janssen (R.A.J.), see: Aagaard (O.M.)
- Jenneskens (L.W.), Louwen (J.N.), Berg (E.M.M. van den), Beuzekom (A.A. van) and Lugtenburg (J.), Conformational analysis of three simple organosilicon compounds, 230
- , Ramesdonk (H.J. van), Verhey (H.J.), Houwelingen (G.D.B. van) and Verhoeven (J.W.), Discrimination between polarity and mobility effects on the charge-transfer fluorescence of fluoroprobe in organic matrices, 453
- Jetten (M.), see: Steijn (A.M.P. van)
- Jonker (S.A.), Ariese (F.) and Verhoeven (J.W.), Cation complexation with functionalized 9-arylacridinium ions: possible applications in the development of cation-selective optical probes, 109
- Kamerling (J.P.), see: Damm (J.B.L.)
- , see also: Steijn (A.M.P. van)
- Kellenbach (E.R.), Lugtenburg (J.) and Cornelisse (J.), Synthesis of 3-methyl-, 4-methyl- and 3,4-dimethylcyclopenta[cd]pyrenes, 437
- Kellogg (R.M.), see: Dijkstra (G.D.H.)
- Kerk-van Hoof (A. van der), see: Aalten (H.L.)
- Khanna (R.K.), Bhatnagar (A.) and Jain (S.), Studies of relaxation times in three substituted acetophenones in benzene, 227
- Kieboom (A.P.G.), see: Dam (H.E. van)
- , see also: Duin (M. van)
- , see also: Floor (M.)
- , see also: Foppen (M.-A.E.)
- , see also: Haveren (J. van)
- , see also: Linders (J.T.M.)
- , see also: Wit (D. de)
- Koeberg-Telder (A.), see: Cerfontain (H.)
- Koenderman (A.H.L.), Koppen (P.L.), Wijermans (P.W.), Langenhuijsen (M.M.A.C.) and Eijnden (D.H. van den), Biosynthesis of blood-group-I and -i antigens. A specific assay for a developmentally regulated β 6-N-acetylglucosaminyltransferase. Application to normal and malignant hematopoietic cells, 360
- Koole (Leo H.), see: Genderen (M.H.P. van)
- , see also: Quaedflieg (P.J.L.M.)
- Koomen (G.-J.), see: Vloon (W.J.)
- Koppen (P.L.), see: Koenderman (A.H.L.)
- Koten (G. van), see: Aalten (H.L.)
- , see also: Graaf (W. de)
- Kouwenhoven (H.W.), see: Bekkum (H. van)
- Kraaijeveld (N.A.) and Boeckel (C.A.A. van), Synthesis of several sulphated and non-sulphated pentasaccharides, corresponding to the *E. coli* K5 glycosaminoglycan, 39
- Kuipers (P.), Halteren (B.W. van), Lindner (L.) and Brinkman (G.A.), Reactions of ^{11}C atoms with benzene. II. Formation of ^{11}C -labelled toluene and cycloheptatriene, 99
- Kuyl-Yeheskiely (E.), Dreef-Tromp (C.M.), Marel (G.A. van der) and Boom (J.H. van), An expeditious *in situ* preparation of benzyl (S)-2-aziridinecarboxylate, 314
- Lammerink (B.H.M.), see: Orlemans (E.O.M.)
- Langenhuijsen (M.M.A.C.), see: Koenderman (A.H.L.)
- Lenstra (A.T.H.), Bruins Slot (H.J.), Beurskens (P.T.), Haasnoot (J.G.) and Reedijk (J.), Transition metal compounds of 5,7-dimethyl[1,2,4]triazolo[1,5-a]pyrimidine (dmtp). X-ray structures of *trans*-tetraaquabis(dmtp-N3)nickel(II) diiodide dihydrate and *trans*-diaquatetrakis (dmtp-N3)nickel(II) bis(triiodide) bis-dmtp, 133
- Leus (G.R.B.), see: Nijhuis (W.H.N.)
- Lie (T.S.), see: Linders (J.T.M.)
- Liemt (W.B.S. van), see: Berg (E.M.M. van den)
- Lier (P.M. van), see: Genderen (M.H.P. van)
- Linders (J.T.M.), Booth (R.J.), Lie (T.S.), Kieboom (A.P.G.) and Maat (L.), Diene systems in *N*-formylmorphinans; formation of a dibenz[*df*]azonine: a new example of molecular acrobatics in morphinans (chemistry of opium alkaloids, part XXVII), 189
- , Briel (P.), Fog (E.), Lie (T.S.) and Maat (L.), Preparation of 6-demethoxy-*N*-formyl-*N*-northebaine and its Diels-Alder reactions with methyl vinyl ketone and nitroethene; novel 8-nitro-substituted 6 α ,14 α -ethenomorphinans and 6 β ,14 β -ethenomorphinans, 268
- Lindner (L.), see: Kuipers (P.)
- Louw (R.), see: Manion (J.A.)
- Louwen (J.N.), see: Jenneskens (L.W.)
- Lugtenburg (J.), see: Berg (E.M.M. van den)
- , see also: Gebhard (R.)
- , see also: Groesbeek (M.)
- , see also: Jenneskens (L.W.)
- , see also: Kellenbach (E.R.)
- , see also: Olde Boerrigter (J.C.)
- , see also: Steen (R. van der)
- , see also: Winkel (C.)
- Maat (L.), see: Foppen (M.-A.E.)
- , see also: Linders (J.T.M.)
- , see also: Wit (D. de)
- Made (A.W. van der), Groot (P.M.F.C.), Nolte (R.J.M.) and Drenth (W.), The rate-determining step in the epoxidation of alkenes by the cytochrome P-450 model manganese(III) porphyrin/hypochlorite, 73
- , Bax (J.M.C.), Nolte (R.J.M.) and Drenth (W.), Effect of pH on the epoxidation of alkenes by the cytochrome P-450 model manganese(III) porphyrin/hypochlorite, 185
- Mak (A.N.S.), see: Aalten (H.L.)
- Manion (J.A.) and Louw (R.), The gas-phase thermolyses of di-, tri-, and tetrachloroethene in hydrogen between 828 and 1050 K, 235
- Marel (G.A. van der), see: Boons (G.J.P.H.)
- , see also: Elie (C.J.J.)
- , see also: Kuyl-Yeheskiely (E.)
- Mathies (R.A.), see: Steen (R. van der)
- Mehrotra (K.N.), Sharma (M.) and Gahlaut (A.S.), Studies on the micellar behaviour of praseodymium soaps, 256
- Mohn (G.R.), see: Olde Boerrigter (J.C.)
- Mulder (P.P.J.), see: Olde Boerrigter (J.C.)
- Muntendam (H.J.), see: Elie (C.J.J.)
- Nijhuis (W.H.N.), Verboom (W.), Harkema (S.) and Reinhoudt (D.N.), The "tert-amino effect" in heterocyclic chemistry: synthesis of 3,1-benzoxazines and 3,1-benzothiazines, 147
- , Leus (G.R.B.), Egberink (R.J.M.), Verboom (W.) and Reinhoudt (D.N.), The "tert-amino effect" in heterocyclic chemistry: synthesis of tetra- and pentacyclic compounds, 172
- Nolte (R.J.M.), see: Made (A.W. van der)
- , see also: Smeets (J.W.H.)
- Notermans (S.), see: Veeneman (G.H.)
- Olde Boerrigter (J.C.), Mulder (P.P.J.), Gen (A. van der), Mohn (G.R.), Cornelisse (J.) and Lugtenburg (J.), The use of a double Wolff-Kishner reduction in the preparation of aceanthrene and aceanthrylene, 79
- Oostrum (J. van), see: Steen (R. van der)
- Orlemans (E.O.M.), Verboom (W.), Lammerink (B.H.M.) and Reinhoudt (D.N.), α -Amino ketones derived from L-proline, as precursors for isomitosanes and mitosenes, 64
- Paillet (M.), see: Bonas (G.)
- Pandit (U.K.), see: Vloon (W.J.)
- Peña-Matheud (C.A.), see: Banerjee (A.K.)
- Peters (J.A.), see: Duin (M. van)
- Pfeffer (M.) and Rotteveel (M.A.), Synthesis of benzo(ij)cycl[3.3.2]azines via a palladium mediated cyclisation reaction, 317
- , see also: Haveren (J. van)
- Pita-Boente (M.I.), see: Banerjee (A.K.)
- Poolman (J.T.), see: Boons (G.J.P.H.)
- Quaedflieg (P.J.L.M.), Koole (L.H.), Genderen (M.H.P. van) and Buck (H.M.), A structural study of phosphate-methylated d(CpG)_n and d(GpC)_n DNA oligomers. Implications of phosphate shielding for the isomerisation of B-DNA into Z-DNA, 421
- Raaijmakers (R.), see: Rewinkel (J.B.M.)
- Ramakrishnan (P.S.), see: Selvaraj (S.)
- Ramesdonk (H.J. van), see: Jenneskens (L.W.)
- Rantwijk (F. van), see: Wit (D. de)
- , see also: Foppen (M.-A.E.)
- Reedijk (J.), see: Lenstra (A.T.H.)
- , see also: Viersen (F.J.)
- Regeling (H.) and Chittenden (G.), The chemistry of D-gluconic acid derivatives. Part IV. Synthesis and reactions of some 2-deoxy-D-hexonic acid derivatives, a new synthesis of 2-deoxy-D-arabino-hexose and some related compounds, 330
- Reinhoudt (D.N.), see: Nijhuis (W.H.N.)
- , see also: Orlemans (E.O.M.)
- , see also: Stolwijk (Th.B.)
- Rewinkel (J.B.M.), García-Granda (S.), Beurskens (P.T.), Raaijmakers (R.) and Zwanenburg (B.), An unusual 1,2-silyl shift during the reaction of an α -oxo sulfine with an allylsilane, 61
- Rotteveel (M.A.), see: Pfeffer (M.)
- Selvaraj (S.), Ramakrishnan (P.S.) and Arumugam (N.), Synthesis of 3-aryl-1-naphthalenamenes, 36
- Shadid (J.B.), see: Gebhard (R.)
- Sharma (M.), see: Mehrotra (K.N.)
- Smeets (J.W.H.), Coolen (H.K.A.C.), Zwicker (J.W.) and Nolte (R.J.M.), A cage compound derived from cyclotrimeratrylene and diphenylglycoluril sub-units, 215
- Spek (A.L.), see: Graaf (W. de)
- Spijker (N.M.), Zuurmond (H.), Westerduin (P.) and Boeckel (C.A.A. van), Studies directed towards the synthesis of sulphated and non-sulphated glyco-conjugate fragments using insoluble silver-salt promoters, 360
- Stam (C.H.), see: Aalten (H.L.)
- Steen (R. van der), Biesheuvel (P.L.), Erkelens (C.), Mathies (R.A.) and Lugtenburg (J.), 8,16- and 8,18-methanobacteriorhodopsin. Synthesis and spectroscopy of 8,16- and 8,18-methanoretinol and their interaction with bacteriorhodopsin, 83
- , Groesbeek (M.), Amsterdam (L.J.P. van), Lugtenburg (J.), Oostrum (J. van) and Grip (W.J. de), All *E*-10,20-methanoretinoylopin, light-stable rhodopsin. Synthesis and spectroscopy of all *E*-10,20-methano- and all-*E*-retinoyl fluoride and their reaction with bovine opsin, 20
- , see also: Groesbeek (M.)
- Steijn (A.M.P. van), Jetten (M.), Kamerling (J.P.) and Vliegthart (J.F.G.), Syntheses of tri- and tetrasaccharide fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 23F, 374
- Stolwijk (Th.B.), Vos (L.C.), Sudhölter (E.J.R.) and Reinhoudt (D.N.), Partition coefficients of crown ethers, 103
- Sudhölter (E.J.R.), see: Stolwijk (Th.B.)
- Szeja (W.), Fokt (I.) and Grynkiewicz, Benzylolation of sugar polyols by means of the PTC method, 224
- Tashtoush (H.) and Al-Talib (M.), A novel one pot synthesis of substituted 1-oxo-1,2,4,6-thiatriazinium salts, 117
- Tinnemans (A.H.A.), see: Buys (H.C.W.M.)
- Tromp (J.), see: Aalten (H.L.)
- Veeneman (G.H.), Notermans (S.), Hoogerhout (P.) and Boom (J.H. van), Synthesis of an immunologically active component of the extracellular polysaccharide produced by *Aspergillus* and *Penicillium* species, 344
- Verboom (W.), see: Nijhuis (W.H.N.)
- , see also: Nijhuis (W.H.N.)
- , see also: Orlemans (E.O.M.)
- Vercauteren (F.F.), see: Buys (H.C.W.M.)
- Verhaar (L.A.Th.), see: Floor (M.)
- Verhey (H.J.), see: Jenneskens (L.W.)
- Verhoeven (J.W.), see: Jenneskens (L.W.)
- , see also: Jonker (S.A.)
- Vertegaal (L.B.J.), see: Groesbeek (M.)
- Viersen (F.J.), Challa (G.) and Reedijk (J.), Mechanistic studies of the oxidative-coupling polymerization of 2,6-dimethylphenol. Part III. Spectroscopic study of copper(II)-*N,N,N',N'*-tetramethylethylenediamine(tmed) complexes under catalytic conditions, 167
- , Challa (G.) and Reedijk (J.), Mechanistic studies of the oxidative-coupling polymerization of 2,6-dimethylphenol. Part V: Effect of different copper counter-ions on the structure of the copper complex, its catalytic activity and specificity for polymer formation, 247
- Vignon (M.), see: Bonas (G.)
- Vliegthart (J.F.G.), see: Damm (J.B.L.)
- , see also: Steijn (A.M.P. van)
- Vliet (J.C. van), see: Groesbeek (M.)
- Vloon (W.J.), Bos (J.C. van den), Willard (N.P.), Koomen (G.-J.) and Pandit (U.K.), Synthesis of (+)-sesbanimide A. Structure of the crucial silyl ether AB ring intermediate, 393
- Vos (L.C.), see: Stolwijk (Th.B.)

- Wegen (J. van), see: Graaf (W. de)
Wepster (B.M.), see: Hoefnagel (M.A.)
Westerduin (P.), see: Spijker (N.M.)
Wielstra (Y.), Gambarotta (S.) and Chiang (M.Y.), The elusive zirconium(III), 1
Wijermans (P.W.), see: Koenderman (A.H.L.)
Willard (N.P.), see: Vloon (W.J.)
Wills (A.R.), see: Edwards (P.G.)
Winkel (C.), Buitenhuis (E.G.) and Lugtenburg (J.), Synthesis and spectroscopic study of ^{13}C -labelled citric acids, 51
-, Aarts (M.W.M.M.), Heide (F.R. van der), Buitenhuis (E.G.) and Lugtenburg (J.), Synthesis and NMR spectroscopy of stable isotope-labelled phenols and L-tyrosines, 139
Wit (D. de), Rantwijk (F. van), Maat (L.) and Kieboom (A.P.G.), Sucrose-derived dialdehydes: the course of the periodate oxidation as studied by HPLC, 335
Wit (M. de), see: Bierhuizen (M.F.A.)
Wynberg (H.), see: Dijkstra (G.D.H.)
Zorgdrager (J.), Broekhof (N.L.J.M.) and Gen (A. van der), Synthesis of indoles using (*N*-arylaminoethyl)diphenylphosphine oxides, 441
Zuurmond (H.), see: Spijker (N.M.)
Zwanenburg (B.), see: Rewinkel (J.B.M.)
Zwikker (J.W.), see: Smeets (J.W.H.)

Subject Index

- Aceanthrene**, by Wolff-Kishner reduction, 79
Aceanthrylene, by Wolff-Kishner reduction, 79
Acetalation, galactitol, 14
Acetamide polymer, *N*-vinyl-*N*-methyl-, acid hydrolysis, 123
Acetonation, galactitol, 14
Acetophenones, relaxation times, 227
Acetophenones, (dialkylamino)-, 147
Acetylenic chemistry, (book), 122
 β 6-*N*-Acetylglucosaminyltransferase, 369
Acid hydrolysis, *N*-vinyl-*N*-methylacetamide polymer, 123
Acridinium ions, 9-aryl-, complexation, 109
Activated carbon, for glucose 1-phosphate oxidation, 404
Adsorption, by zeolites (review), 283
Aldehydes, from sucrose periodate oxidation, 335
Alkaloids, cinchona (ephedra)-, chirality, conformation, catalysm, 195; opium -, part XXVII, 189; opium -, part XXVIII, 268
Alkene epoxidation, by porphyrin-Mn(III)/hypochlorite, 73, 185, (thesis), 78
2-Alkenoates, 4-hydroxy-, 330
Allylsilane, with α -oxo sulfone, 61
Aluminosilicates, zeolites (review), 283
Amines, *para*-nitrosation, 97
Amino acids, for benzyl (S)-2-aziridinecarboxylate, 314; borate esters, pH effect, 179; pyridoxal phosphate Schiff's base, 413
Amino diols, borate esters, pH effect, 179
***tert*-Amino effect**, (thesis), 78; in 3,1-benzoxazine and 3,1-benzothiazine synth., 147; in tetra- and pentacyclic compds. synth., 172
 α -Amino ketones, from L-proline, 64
Aniline, 2-vinyl-*N,N*-dialkyl-, for tetra- and pentacyclic compds., 172
Aniline, nitrosodi-*tert*-butyl-, 97
Anilines, 2-acetyl-, 147
Anisole, 2-methyl-, sulfonation, 395
Anti-coagulant action, glycosaminoglycan type, 39
Antigens, *Aspergillus* and *Penicillium* polysaccharide, 344; blood-group-I and -i-, 369
Antipode, see chirality
D-Arabinohexose, 2-deoxy-, 330
Aromatic substitution, using zeolites (review), 283
Arsine, bis[2-(dimethylarsino)ethyl]amine, 319
3-Aryl-1-naphthalenamine, 36
9-Arylacridinium ions, complexation, 109
[(Arylamino)methyl]phosphine oxides, for indoles, 441
Arylpalladium, 275, (thesis), 282
***Aspergillus* polysaccharide**, 344
Association constant, amino acid borate esters, pH effect, 179
Asymmetry, see chirality
8-Azapurine, transition metal complexes, 133
(S)-2-Aziridinecarboxylic acid, benzyl ester, 314
Bacteriorhodopsin, methano-, 83
Basket molecules, based on diphenylglycoluril, 215, (thesis), 78
Beckmann's mixture, for 3-aryl-1-naphthalenamine, 36
Benzene, with ^{11}C , 99
Benzenediol methyl ethers, sulfonation, 7
Benzenetriol methyl ethers, sulfonation, 445
Benzo crown ethers, partition coefficients, 103
Benzo-15-crown-5, sulfonation, 395
1,3,2,4-Benzodioxadithiin 2,2,4,4-tetraoxides, from 2-methoxyphenol sulfonation, 7
Benzo[*bc*]cyclo[3.3.2]azines, 317
Benzodioxane, sulfonation, 395
Benzodioxole, sulfonation, 395
Benzofuran, 2,3-dihydro-, sulfonation, 395
Benzophenone imine, diaryl *N*-(chlorosulfinyl)-, for 1-oxo-1,2,4,6-thiatriazinium, 117
Benzo[*g*]pyrrolo[1,2-*a*]indole, 172
Benzo[*h*]pyrrolo[1,2-*a*]quinoline, 172
Benzoquinone, 2,3-dichloro-5,6-dicyano-1,4-, see DDQ
3,1-Benzothiazines, 147
1,4-Benzothiazines, (book), 165
Benzo[*f*]thieno[2,3-*a*]- and -[3,2-*a*]quinolizine, 172
3,1-Benzoxazines, 147
Benzyl (S)-2-aziridinecarboxylate, 314
Benzylation, sugar polyols, 224
Biochemical thermodynamics, (book), 246, 279
Bis[2-(dimethylarsino)ethyl]amine, 319
Blood-group-I and -i antigens, 369
Book reviews, acetylenic chemistry, 122; biochemical thermodynamics, 246, 279; bioinorganic chemistry of nickel, 206; carcinogens, 244; computational chemistry, 38; equilibrium of carbon, 281; flavor frontiers, 322; fluorinated carbohydrates, 206; free-radical polymerizations, complexes, 38; inorganic reactions and methods, 426; intermolecular complexes, 165; metalloproteins, 455; name reactions, 122; natural products, 281; nitrile oxides, nitrones and nitronates, 426; nitrones, nitronates and nitroxides, 245; organic synthesis, vol. 66, 164; organometallic synthesis, vol. 4, 81; organometallic chemistry reviews, 321; phenothiazines and 1,4-benzothiazines, 165; polymers in colloids, 455; polymers, functional, 280; fused pyrimidines, pteridines, 164; Rodd's chemistry of carbon compounds, vol. IV. Heterocyclic compounds, 81, 163; Rodd's chemistry of carbon compounds, vol. IV. Aromatic compounds, 244; software for chemical structures, 245; solvation, chemical physics, 322; solvent effects, 205; surface organometallic chemistry, 82; terpene synthesis, 205; toxicological chemistry, 280; toxicology, 456
Borate esters, amino acids, pH effect, 179
Bovine fibrinogen, carbohydrates in -, 351
***N*-Bromosuccinimide**, for glutinosone, 408
2,3-Butanediol, 2,3-dimethyl-, oxidized by Ce-exchanged Y-zeolites, 128
3-Buten-2-one, Diels-Alder, 268
2-Butenal, for indoles, L-tryptophan, labeled, 304
Cage compound, from cyclooctatrylene and diphenylglycoluril, 215
Calcium, complexing oxidized carbohydrates, 384
Capsular polysaccharides, ribosylribitol phosphate hexamer, 219; *Streptococcus pneumoniae*, 374
Carbodiimides, for 1-oxo-1,2,4,6-thiatriazinium, 117
Carbohydrates, *Aspergillus* and *Penicillium* polysaccharide, 344; blood-group-I and -i antigens, 369; Ca complexation, 384; cyclogentiotetrose peracetate/alkali metal complex, ^1H NMR, 161; cyclogentiotriose and -tetrose peracetates, 259; fluorinated - (book), 206; galactitol, isopropylidenation, 14; glucose 1-phosphate oxidation, 404; glyco-conjugate fragments, 360; glycosaminoglycan type, 39; heptopyranose, 339; 2-deoxy-D-hexonic acid, 330; polyhydroxy carboxylic acids, coordination-ionization, 57; on rat hepatocyte glycoproteins, 323; ribosylribitol phosphate hexamer, 219; (+)-sesbanimide A, 393; sialic acid patterns, 351; *Streptococcus pneumoniae*, 374; sucrose-derived dialdehydes, 335; sugar polyol benzylation, 224
Carbon, equilibrium chemistry (book), 281
Carbon-11, with benzene, 99
Carbon-13 labeling, phenol and L-tyrosine, 139; retinal, 207
Carbon-14 labeling, fucose for glycoproteins, 323
Carboxylic acids, polyhydroxy -, coordination-ionization, 57
Carcinogens, (book), 244
Catalysis, addition by metal ions, 57; 2,6-dimethylphenol oxidative polymerization, 247; by organometallics on surfaces (book), 82; oxidative polymerization of 2,6-dimethylphenol by Cu-TMED, 167; Pt/C glucose 1-phosphate oxidation, 404; thebaine deriv. Diels-Alder, 268; thiols + 2-cyclohexenones by alkaloids, 195; zeolites in organic reactions (review), 283
Catalysis, Phase-Transfer -, see PTC
Cation-selective optical probes, 9-arylacridinium ion complexes, 109
Cerium-exchanged Y-zeolites, redox properties, 128
Charge transfer, in 9-arylacridinium ion complexes, 109
Charge-transfer, fluorescence of fluoroprobe, 453
Chelation, see complexation
Chirality, d(CpG)_n and d(cpC)_n DNA, 421; pyridoxal phosphate-amino acid Schiff's base, 413; quini(di)ne, cinchoni(di)ne, ephedrine, 195
Chlorite oxidation, glucan dialdehydes, 384
***N*-(Chlorosulfinyl) diaryl ketone imine**, for 1-oxo-1,2,4,6-thiatriazinium, 117
Chromane, sulfonation, 395
Chromionophoric effect, 9-arylacridinium ion complexes, 109
Cinchona alkaloids, chirality, conformation, catalysm, 195
Cis-trans isomerization, see isomerization
Citric acid, ^{13}C -labeled, 51
Cobalt, 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine complex, 133
Colloids, contg. polymers (book), 455
Colorimetry, praseodymium soaps, 256
Complexation, 9-arylacridinium ions, 109; cyclogentiotetrose peracetate with alkali metal, 161; in free-radical polymerizations (book), 38; intermolecular - (book), 165; polyhydroxy carboxylic acids, 57
Computational chemistry, (book), 38
Conformation, amino acid borate esters, 179; d(CpG)_n and d(cpC)_n DNA, 421; methanoretinol, 83; phosphate-methylated DNA, 28; pyridoxal phosphate-amino acid Schiff's base, 413; quini(di)ne, cinchoni(di)ne, ephedrine, 195; rigid - in methanoretinol, 20, 83, 427; silanes, 230
Coordination, polyhydroxy carboxylic acids, 57
Copolymers, with *N*-vinyl-*N*-methylacetamide, hydrolysis, 123
Copper, benzoato quinolines, 295; catalysis 2,6-dimethylphenol oxidative polymerization, 247; TMED complex as oxidative polymerization catalyst, 167
Crown ethers, 9-arylacridinium ion complexes, 109; partition coefficients, 103; sulfonation, 395
Crystal structure, 3,1-benzoxazine and 3,1-benzothiazine, 147; dibenz[*d,f*]azonine, 189; of α -oxo sulfone + allylsilane product, 61; palladium aryl, 275; quinoline-copper benzoate, 295; spirodioxaphosphorane, 120; 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine Ni complex, 133
Curtin-Hammett principle, sulfonation phenol ethers, 395; sulfonation benzenetriol methyl ethers, 445
(2-Cyanoethyl)silanes, conformation, 230
(Cyanomethyl)phosphonate, for retinal, ^{13}C -labeled, 207
Cycl[3.3.2]azines, benzo[*bc*]-, 317
Cyclization, see ring closure
Cyclogentiotetrose peracetate, alkali metal complex, ^1H NMR, 161
Cyclogentiotriose and -tetrose, peracetates, 259
Cycloheptatriene, ^{11}C -labeled, 99
2-Cyclohexenone, addition to thiols, 195
Cyclopentadienylzirconium(III), review, 1
Cyclopenta[*cd*]pyrenes, 437
Cyclooctatrylene, for cage compound, 215
Cytochrome P-450, Mn(III) porphyrin/hypochlorite as model, 185; porphyrin-Mn(III)/hypochlorite as - model, 73
d(CpG)_n and d(cpC)_n DNA, 421
DDQ aromatization, for cyclopenta[*cd*]pyrenes, 437
Decarboxylase, histidine racemate separation, 424
Dechlorination, chloroethenes, 235
***N*-Demethylation**, thebaine deriv., 268
2-Deoxy-D-hexonic acid, 330
Deuterium labeling, indoles, L-tryptophan, 304
Dialdehyde glucans, oxidation by hydrogen peroxide + chlorite, 384

- Dialdehydes, from sucrose periodate oxidation, 335
 Diastereoisomer, see stereochemistry
 Dibal, for retinal, ^{13}C -labeled, 207
 Dibenzo-30-crown-10, sulfonation, 395
 Dibenz[d,f]azonine, from 6-demethoxy-*N*-formyl-*N*-northebaine, 189
 Dicarboxylates, glucans, 384
 Dichloroethene, thermolysis, 235
 Dielectric relaxation, acetophenones, 227
 Diels-Alder reaction, for indoles, L-tryptophan, labeled, 304; *N*-northebaine deriv., 268
 α,α' -Dienones, by Ti(III) acetate dehydrogenation, 94
 Diethoxytriphenylphosphorane, for benzyl (*S*)-2-aziridinecarboxylate, 314
 Dihydroxybenzenes, see benzenediols
 Diisobutylaluminum, see dibal
 Dimethoxybenzenes, sulfonation, 7
 Dimethoxyphenyl methanesulfonates, sulfonation, 445
 2,2-Dimethoxypropane, galactitol, isopropylidenation, 14
 2,6-Dimethylphenol, oxidative polymerization, 247
 Dinucleotide, see nucleotide
 Dipeptides, see peptides
 Diphenoquinone, from 2,6-dimethylphenol, 167, 247
 Diphenylglycoluril, baskets (thesis), 78; for cage compound, 215
 Diphenylketene, with phosphole, 120
 Dipole moments, acetophenones, 227
 DNA, d(CpG)_n and d(cpC)_n , 421; hybridization of phosphate-methylated -, 28; proteins unwinding -, 28
 Docking, molecular, quinine, 195
 DPQ, see diphenoquinone
 Dulcitol, see galactitol
 Dutch Ph.D. theses, see theses
 1,5 Electrocyclization, for tetra- and pentacyclic compds., 172
 Electron capture, phosphoranyl radicals, 262
 Electron Paramagnetic Resonance, see EPR
 Electron Spin Resonance, see ESR
 Electronic absorption, see UV
 Electronic spectra, see UV
 Enantiopurification, D-histidine, 424
 Enzymes, β -*N*-acetylglucosaminyltransferase, 369; racemase on amino acids, 413
 Ephedra alkaloids, chirality, conformation, catalysis, 195
 Epoxidation, by porphyrin-Mn(III)/hypochlorite, 73, 185, (thesis), 78
 EPR, 2,6-dimethylphenol oxidative polymerization, 247; oxidative polymerization of 2,6-dimethylphenol, 167
 Equilibrium, amino acid borate esters, 179; carbon (book), 281; galactitol, isopropylidenation, 14
 ESR, phosphoranyl radicals, 262
 Ethene, di-, tri- and tetrachloro-, thermolysis, 235
 Ethenomorphinans, 268
 1,2-(Ethylenedioxy)benzene, sulfonation, 395
 E-Z isomerization, see isomerization
 FAB mass spectra, see mass spectra
 Face selectivity, thebaine deriv. Diels-Alder, 268
 Fibrinogen, carbohydrates in bovine -, 351
 Flavor, (book), 322; see also odor
 Fluorescence, fluorophore, 453
 Fluorinated carbohydrates, (book), 206
 Fluoroionophoric effect, 9-arylacridinium ion complexes, 109
 Fluorophore, charge-transfer fluorescence, 453
N-Formylation, *N*-northebaine deriv., 268
 Fragment model, for partition coefficients, 103
 Free radicals, polymerization of complexes (book), 38; see radicals
 Friedel-Crafts reaction, for isomitosanes, 64
 Fructose, ring cleavage, 335
 Fucose, ^{14}C -labeled for glycoprotein, 323
 Functional polymers, (book), 280
 Galactitol, isopropylidenation, 14
 Galactofuranoside, 344
 Gentiotetrose peracetate, cyclo-, alkali metal complex, ^1H NMR, 161
 Gentiotetrose and -tetrose, cyclo-, peracetates, 259
 Glucan dialdehydes, oxidation by hydrogen peroxide + chlorite, 384
 D-Gluconic acid, 330; coordination-ionization with Al(III) , 57
 D-Glucono-1,5-lactone, 330
 Glucosaminyltransferase, β -*N*-acetyl-, 369
 Glucose, 2-deoxy-, 330; 1-phosphate, oxidation, 404; ring cleavage, 335
 Glutinosone, 408
 Glyco-conjugate fragments, 360
 Glycol, cleaved by Ce-exchanged Y-zeolites, 128
 Glycoluril, diphenyl-, baskets (thesis), 78; for cage compound, 215
 Glycopeptide, see peptide
 Glycoproteins, rat hyalocytes, 323
 Glycosaminoglycan, 39
 Glycosidation, β -, 360; selective -, 344
 Haem-, see hem-
Haemophilus influenzae, ribosylribitol phosphate hexamer, 219
 Handedness, see chirality
 Helix stability, d(CpG)_n and d(cpC)_n DNA, 421
 Hematopoietic cells, treatment, 369
 Heparan sulfate, glycosaminoglycan type, 39
 Heparin precursor, glycosaminoglycan type, 39
 Heptopyranose, in disaccharide, 339
 Hexatriyne, bis(trimethylsilyl)-, 242
 Hexitol, see galactitol
 D-Hexonic acid, 2-deoxy-, 330
 High-Pressure Liquid Chromatography, see HPLC
 Histidine decarboxylase, 424
 Host-guest chemistry, for cage compound, 215
 Hot-atom chemistry, with ^{11}C , 99
 HPLC, β -*N*-acetylglucosaminyltransferase, 369; carbohydrate chains in bovine fibrinogen, 351; glucan dialdehydes, 384; histidine racemate separation, 424; sucrose periodate oxidation, 335
 Hybridization, phosphate-methylated DNA, 28
 Hydrogen peroxide, Ce-exchanged Y-zeolites, oxygen exchange, 128; glucan dialdehyde oxidation, 384
 1,5 Hydrogen shift, in benzoxazine and 3,1-benzothiazine synth., 147; in tetra- and pentacyclic compds. synth., 172
 Hydrogen-2 labeling, indoles, L-tryptophan, 304
 Hydrogen-3 labeling, mannose for glycoproteins, 323
 Hydrogenolysis, chloroethenes, 235
 Hydrolysis, acid -, *N*-vinyl-*N*-methylacetamide polymer, 123
 Hydrophobic fragmental constants, for partition coefficients, 103
 Hydroxy amino acids, borate esters, pH effect, 179
 4-Hydroxy-2-alkenoates, 330
 Hydroxyimine, for 3-aryl-1-naphthalenamine, 36
 Hydroxyl protection, 207
 Hydroxymethylation, for heptopyranose, 339
 Hypatocytes, rat - glycoproteins, 323
 Hyperchromicity, UV -, phosphate-methylated DNA, 28
 Hypochlorite, glucan dialdehydes as scavenger, 384; + porphyrin-Mn(III) as epoxidizer, 73; + porphyrin-Mn(III) as cytochrome P-450 model, 185
 Indoles, ^2H -, ^{13}C -labeled, 304; from [(arylamino)methyl]phosphine oxides, 441
 Indolizino[2,3,4,5-*ija*]quinolines, 317
 Infra-red, see IR
 Inorganic chemistry, (book), 426
 Intermolecular complexes, (book), 165
 Ionization, polyhydroxy carboxylic acids, 57
 IR, methanoretinoylopin, 20; methanoretinol, 427; 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine Ni, Co complex, 133
 Irradiation, see photochemistry
 Isomerization, d(CpG)_n and d(cpC)_n DNA, 421; 6-demethoxy-*N*-formyl-*N*-northebaine, 189; by zeolites (review), 283
 Isomitosanes, precursors, 64
 Isopropylidenation, galactitol, 14
 Isotopomers, see labeling
 Isoxazoles, nitrile oxides, nitrones and nitronates (book), 426
 K5 glycosaminoglycan, related, 39
 Keratan sulfate, 360
 Ketene, diphenyl-, with phosphole, 120
 Ketone imine, diaryl *N*-(chlorosulfinyl) -, for 1-oxo-1,2,4,6-thiatriazinium, 117
 Ketones, α -amino - from L-proline, 64; cyclic α,β -unsaturated -, addition to thiols, 195; α,β -unsaturated -, Ti(III) acetate dehydrogenation, 94
 Kinetics, acetophenones relaxation times, 227; alkene epoxidation by porphyrin-Mn(III)/hypochlorite, 185; galactitol, isopropylidenation, 14; glucose 1-phosphate oxidation on Pt/C, 404; oxidative polymerization of 2,6-dimethylphenol, 167; porphyrin-Mn(III)/hypochlorite as epoxidizer, 73; sucrose periodate oxidation, 335; sulfonation benzenediols, 7; sulfonation phenol ethers, 395; sulfonation benzenetriol methyl ethers, 445; *N*-vinyl-*N*-methylacetamide polymer, hydrolysis, 123
 Labeling, citric acid with ^{13}C , 51; fucose with ^{14}C , 323; indoles, L-tryptophan with ^1H , ^{13}C , 304; mannose with ^3H , 323; phenol and L-tyrosine with ^{17}O , ^{18}O and ^{13}C , 139; retinal with ^{13}C , 207
 Lactosaminoglycans, poly-, 369
 Lawesson's reagent, for pyrrolo[1,2-*a*][3,1]benzoxazines, 147
 Lead tetraacetate oxidation, for glutinosone, 408
 Little superconductor model, bis(trimethylsilyl)hexatriyne as precursor?, 242
 Liver, rat - glycoproteins, 323
 Locked, see rigid
 Magnetism, praseodymium soaps, 256
 Manganese(III), porphyrin-Mn(III)/hypochlorite as epoxidizer, 73; porphyrin-Mn(III)/hypochlorite as cytochrome P-450 model, 185
 Mannose, ^3H -labeled for glycoprotein, 323
 Mass spectra, citric acid ^{13}C -labeled, 51; methanoretinoylopin, 20
 Mechanism, 2,6-dimethylphenol oxidative polymerization, 247; oxidative polymerization of 2,6-dimethylphenol catalyzed by Cu-TMED, 167; quinoline-copper decarboxylation, 295; racemase on amino acids, 413; 1,2-silyl shift in α -oxo sulfine + allylsilane, 61; sucrose periodate oxidation, 335; sulfonation, 7, 395, 445; thermolysis of di-, tri- and tetrachloroethene, 235
 Metalloproteins, (book), 455
 Methanobacteriorhodopsin, 83
 Methanoretinol, 83, 427
 Methanoretinoylopin, 20
 Methoxyphenols, sulfonation, 7
 Methyl phosphonate DNA, hybridization, 28
 1,2-(Methylenedioxy)benzene, sulfonation, 395
 Methyne (CH), ^{11}C -labeled, 99
 Micelles, praseodymium soaps, 256
 Michael reaction, for isomitosanes, 64
 Microwave oven heating, thebaine deriv. Diels-Alder, 268
 Mitosenes, precursors, 64
 MNDO, silane conformation, 230
 Modified neglect of diatomic overlap, see MNDO
 Molecular docking, quinine, 195
 Molecular relaxation, acetophenones, 227
 Molecular sieves, zeolites (review), 283
 Morphinan-6,8-dienes, 189
 Morphology, polyethylene (thesis), 282
 Name reactions, (book), 122
 1-Naphthalenamine, 3-aryl-, 36
 Naphthalenic ketones, glutinosone, 408; methanoretinol, 83
 Natural products, vol 2 (book), 281
 Neuraminic acid, 351
 Nickel, in bioinorganic chem. (book), 206; 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine complex, 133
 Nitrile oxides, nitrones and nitronates, (book), 426
 Nitroethene, Diels-Alder, 268
 Nitrones, nitronates and nitroxides, (book), 245
 para-Nitrosation, prim. and sec. amines, 97
 NMR, ^1H , amino acid borate esters, 179; 3,1-benzoxazine and 3,1-benzothiazine, 147; carbohydrate chains in bovine fibrinogen, 351; citric acid ^{13}C -labeled, 51; cyclogentiotetrose peracetate/alkali metal complex, 161; dibenz[d,f]azonine, 189; glycosaminoglycan type, 39; methanoretinoylopin, 20; methanoretinol, 83, 427; *N*-northebaine deriv., 268; palladium aryl, 275; quini(d)ine, 195; retinal, ^{13}C -labeled, 207; silane conformation, 230; *Streptococcus pneumoniae*, 374; in α -oxo-sulfine + allylsilane, 61; sulfonation benzenetriol methyl ethers, 445

- NMR, ^{11}B , amino acid borate esters, 179
NMR, ^{13}C , citric acid ^{13}C -labeled, 51; dibenz[*d,f*]azonine, 189; glycosaminoglycan type, 39; indoles, L-tryptophan, labeled, 304; methanoretinoylopin, 20; methanoretinol, 83, 427; retinal, ^{13}C -labeled, 207; *N*-vinyl-*N*-methylacetamide polymer, 123
NMR, ^{19}F , methanoretinoylopin, 20
NMR, ^{31}P , d(CpG)_n and d(cpC)_n DNA, 421
NOE, see NMR
Nuclear Magnetic Resonance, see NMR
Nucleic acids, see DNA
Nucleotides, hybridization, 28
Odor, (book), 322
Olfaction, see odor
Oligo....., see.....
Opium alkaloids, part XXVII, 189; part XXVIII, 268
Opsin shift, methanoretinol, 83
Optical antipodes, see chirality
Optical probes, 9-arylacridinium ion complexes, 109
Organic synthesis, vol. 66, (book), 164
Organometallic chemistry reviews, (book), 321
Organometallic synthesis, vol. 4 (book), 81
Oxidation, by Ce-exchanged Y-zeolites, 128
Oxidation catalysis, 2,6-dimethylphenol oxidative polymerization, 247
Oxidative polymerization, 2,6-dimethylphenol catalyzed by Cu-TMED, 167; 2,6-dimethylphenol, 247
 α -Oxo sulfine, with allylsilane, 61
Oxygen-17 labeling, phenol and L-tyrosine, 139
Oxygen-18 labeling, phenol and L-tyrosine, 139
P-450, cytochrome -, porphyrin-Mn(III)/hypochlorite as - model, 73
PAH, cyclopenta[*cd*]pyrenes, 437
Palladium, aryl-, 275; aryl- (thesis), 282; for benzo[*bc*]cyclo[3.3.2]azines, 317
Partition coefficients, crown ethers, 103
Penicillium polysaccharide, 344
Pentacyclic compds., amino effect in synth., 172
Pentasaccharides, glycosaminoglycan type, 39
Peptides, from benzyl (*S*)-2-aziridinecarboxylate, 314
Peptides, poly-, see proteins
Peracetates, cyclogentiatriose and -tetrose, 259
Periodate oxidation, for glucan dialdehydes, 384; sucrose, 335
Permittivity, acetophenones, 227
pH effect, alkene epoxidation by porphyrin-Mn(III)/hypochlorite, 185; borate esters, stability, 179
Ph.D. theses, see theses
Phase-Transfer Catalysis, see PTC
Phenol, ^{17}O -, ^{18}O - and ^{13}C -labeled, 139
Phenol ethers, sulfonation, 395, 395
Phenol, 2,6-dimethyl-, oxidative polymerization, 167, 247
Phenols, methoxy-, sulfonation, 7
Phenothiazines, (book), 165
Phosphate-methylated d(CpG)_n and d(cpC)_n, 421
Phosphate-methylated DNA, hybridization, 28
Phosphine oxides, [(arylamino)methyl]-, for indoles, 441
Phosphine sulfides and selenides, ESR, 262
Phospho triester, d(CpG)_n and d(cpC)_n DNA, 421
Phosphole, with diphenylketene, 120
Phosphoramidite, for ribosylribitol phosphate hexamer, 219
Phosphorane, diethoxytriphenyl-, for benzyl (*S*)-2-aziridinecarboxylate, 314
Phosphorane, spirodioxo-, from phosphole + diphenylketene, 120
Phosphoranyl radicals, ESR, 262
Photochemistry, methanoretinol, 83, 427
Photolysis, see photochemistry
Pinacol, oxidized by Ce-exchanged Y-zeolites, 128
Platinum/carbon oxidation catalyst, glucose 1-phosphate oxidation, 404
Polyethylene, morphology (thesis), 282
Polyhydroxy carboxylic acids, coordination-ionization, 57
Polylactosaminoglycans, 369
Polymer mobility, fluoroprobe in methyl methacrylate, 453
Polymerization, 2,6-dimethylphenol catalyzed by Cu-TMED, oxidative, 167; 2,6-dimethylphenol oxidative -, 247; free-radical complexes (book), 38; functional polymers (book), 280; polymers in colloids (book), 455; *N*-vinyl-*N*-methylacetamide, hydrolysis, 123
Polyols, sugar -, benzylation, 224
Polyphenylene oxide, from 2,6-dimethylphenol, 167, 247
Porphyrin-Mn(III)/hypochlorite, cytochrome P-450 model, 185; as epoxidizer, 73, (thesis), 78
Praseodymium soaps, micelles, 256
L-Proline, for 2-benzoylpyrrolidines, 64
Propanediols, amino-, borate esters, pH effect, 179
Proteins, see also enzymes; phosphate-methylated DNA complexes, 28
Proton pump action, in methanoretinol, 83
Proximity effect, in partition coefficients, 103
PTC, in sugar polyol benzylation, 224
Pteridines, (book), 164
Pyrenes, cyclopenta[*cd*]-, 437
Pyridoxal phosphate, Schiff's base with amino acids, 413
Pyrimidines, fused -, (book), 164
Pyrrolidines, 2-benzoyl-, from L-proline, 64
Pyrrolo[1,2-*a*][3,1]benzothiazines, 147
Pyrrolo[1,2-*a*][3,1]benzoxazines, 147
Quantum chemistry, pyridoxal phosphate-amino acid Schiff's base, 413
Quinine, chirality, conformation, catalysis, 195
Quinoline-copper decarboxylation, 295
Racemase, activity on amino acids, 413
Racemate separation, histidine, 424
Radicals, phosphoranyl, ESR, 262
Radiolabeling, see labeling
Rat hepatocytes, glycoproteins, 323
Reagent names in organic synthesis, (book), 122
Recoil carbon-11, with benzene, 99
Redox properties, Ce-exchanged Y-zeolites, 128
Regioselection, see stereochemistry
Relaxation time, acetophenones, 227
Retinal, ^{13}C -labeled, 207
Retinal, methano-, 83427
Retinoyl fluoride, 20
Retinoylopin, methano-, 20
Reviews, elusive zirconium(III), 1; zeolites in organic reactions, 283
Rhodopsin, methanoretinoyl-, 20
Ribitol, ribosyl-, phosphate hexamer, 219
Ribosylribitol, phosphate hexamer, 219
Rigid conformation, in methanoretinoylopin, 20, 83, 427
Ring closure, to 3,1-benzoxazine and 3,1-benzothiazine, 147; to benzyl (*S*)-2-aziridinecarboxylate, 314; to cage compound, 215; galactitol, isopropylidenation, 14; to tetra- and pentacyclic compds., 172; by zeolites (review), 283
Rodd's chemistry of carbon compounds, vol. III, aromatic compounds (book), 244; vol. IV, heterocyclic compounds (book), 81, 163
Saccharides, see carbohydrates
Schiff's bases, of pyridoxal phosphate and amino acids, 413
Selenium, phosphine selenides, ESR, 262
Semmler-Wolff reaction, for 3-aryl-1-naphthalenamine, 36
Sequestration, see complexation
Serine, for aziridines, 314
(+)-Sesbanimide A, 393
Shift reagent, see NMR
Sialic acid, patterns in carbohydrates, 351
Silane, allyl-, with α -oxo sulfine, 61
Silanes, conformation, 230
Silicates, alumino-, zeolites (review), 283
Silver, Ag salts for sulfated glyco-conjugate fragments, 360
Silyl ether, for (+)-sesbanimide A, 393
1,2-Silyl shift, in α -oxo-sulfine + allylsilane, 61
Silylhexatriene, bis(trimethyl-, 242
Smell, see odor
SO₃, see sulfur trioxide
Soaps, praseodymium -, micelles, 256
Software for chemical structures, (book), 245
Solid solution, fluoroprobe in methyl methacrylate, 453
Solid-phase synthesis, ribosylribitol phosphate hexamer, 219
Solvation, chemical physics, (book), 322
Solvent effects, (book), 205
Spacer, in ribosylribitol phosphate hexamer, 219
Spirodioxaphosphorane, from phosphole + diphenylketene, 120
SSEA-1, 360
Stability, amino acid borate esters, pH effect, 179
Stereochemistry, phosphate-methylated DNA, 28
Streptococcus pneumoniae, tri- and tetrasaccharides, 374
Structure, nitrosoaniline, 97; software (book), 245; see also crystal structure
Substituent model, for partition coefficients, 103
Sucrose, dialdehydes, 335
Sugar polyols, benzylation, 224
Sugars, see carbohydrates
Sulfated glyco-conjugate fragments, 360
Sulfated pentasaccharides, glycosaminoglycan type, 39
Sulfine, α -oxo -, with allylsilane, 61
Sulfinylammonium, (diphenylmethylene)-, for 1-oxo-1,2,4,6-thiatriazinium, 117
Sulfonation, benzenediol methyl ethers, 7; benzenetriol methyl ethers, 445; phenol ethers, 395
Sulfur trioxide, with benzenediols, 7; with benzenetriol methyl ethers, 445; with phenol ethers, 395
Superconductor, bis(trimethylsilyl)hexatriene as precursor?, 242
Surface chemistry, glucose 1-phosphate oxidation on Pt/C, 404
Surface organometallic chemistry, (book), 82
Synzyme, for cage compound, 215
Teichoic acids, ribosylribitol phosphate hexamer, 219
Terpene synthesis, (book), 205
Terpene, norsesqui-, glutinosone, 408
Tertiary-amino effect, see amino effect, tert--
Tetraaldehydes, from sucrose periodate oxidation, 335
Tetrachloroethene, thermolysis, 235
Tetracyclic compds., amino effect in synth., 172
Tetralones, by Ti(III) acetate dehydrogenation, 94
Tetramethylethylenediamine, see TMED
Thallium(III) acetate dehydrogenation, α,β -unsaturated ketones, 94
Thebaine, 6-demethoxy-*N*-formyl-*N*-nor-, 189268
Thermodynamics, biochemical - (book), 246, 279; phosphate-methylated DNA, 28
Thermolysis, chloroethenes, 235
Theses, 457; tert-amino effect, 78; epoxidation by porphyrins-Mn(III)/hypochlorite, 78; glycolurils, basket-shaped, 78; organopalladium amine complexes, 282; polyethylene morphology, 282
1,2,4,6-Thiatriazinium, 2-(diphenylmethylene)-1-oxo-, 117
Thiols, addition to 2-cyclohexenone, 195
Thione oxide, see sulfine
Threonine, for aziridines, 314
TMED copper complex, oxidative polymerization catalyst, 167
Toluene, ^{11}C -labeled, 99
Toxicology, (book), 280, 456
Transition metals, 5,7-dimethyl[1,2,4]triazolo[1,5-*a*]pyrimidine complexes, 133
[1,2,4]Triazolo[1,5-*a*]pyrimidine, 5,7-dimethyl-, transition metal complexes, 133
Trichloroethene, thermolysis, 235
3-(Trichlorosilyl)propanenitrile, conformation, 230
Tricyclic silyl ether, for (+)-sesbanimide A, 393
3-(Triethoxysilyl)propanenitrile, conformation, 230
Trifluoroacetylation, 147
Trihydroxybenzene methyl ethers, sulfonation, 445
Trimethoxybenzenes, sulfonation, 445
Tritium labeling, mannose for glycoproteins, 323
L-Tryptophan, ^2H -, ^{13}C -labeled, 304
Twisted charge transfer, in 9-arylacridinium ion complexes, 109
L-Tyrosine, ^{17}O -, ^{18}O - and ^{13}C -labeled, 139
Ultraviolet, see UV
 α,β -Unsaturated ketones, Ti(III) acetate dehydrogenation, 94
UV, 9-arylacridinium ion complexes, 109; 2,6-dimethylphenol oxidative polymeri-

- zation, 247; methanoretinoylopin, 20; methanoretinal, 83, 427; nitrosation of amines, 97; oxidative polymerization of 2,6-dimethylphenol, 167; phosphate-methylated DNA, 28
- Van der Waals system, role in science**, (book), 165
- Vanillyl alcohol**, for cage compound, 215
- Vinyl methyl ketone**, Diels-Alder, 268
- 2-Vinyl-*N,N*-dialkylaniline**, for tetra- and pentacyclic compds., 172
- N*-Vinyl-*N*-methylacetamide polymer**, acid hydrolysis, 123
- Viscosity**, praseodymium soaps, 256
- Wagner-Meerwein rearrangement**, 6-demethoxy-*N*-formyl-*N*-northebaine, 189
- Wolff-Kishner reduction**, for aceanthrene and aceanthrylene, 79; for cyclopenta[*cd*]pyrenes, 437
- X-ray analysis**, see crystal structure
- Y-zeolites, cerium-exchanged**, redox properties, 128
- Zeolites in organic reactions**, review, 283
- Y-Zeolites, cerium-exchanged**, redox properties, 128
- Zirconium(III)**, review, 1

